

ASMS NEWS & VIEWS

i-iii

ASMS News & Views
Edited by Gavin Reid

BOOK REVIEW


1289 – 1290

Ion/Molecule Attachment Reactions: Mass Spectrometry
V. Ryzhov

RESEARCH ARTICLES


1291 – 1300

Charge Exchange Reaction in Dopant-Assisted Atmospheric Pressure
Chemical Ionization and Atmospheric Pressure Photoionization
A. Vaikkinen, T.J. Kauppila, and R. Kostianen



1301 – 1313

Negative Ion MALDI Mass Spectrometry of Polyoxyometalates (POMs):
Mechanism of Singly Charged Anion Formation and Chemical
Properties Evaluation
J.E. Boulicault, S. Alves, and R.B. Cole




Instructions for authors for *The Journal of The American Society for Mass Spectrometry* can be found at www.springer.com/13361

Abstracted/Indexed in: *Academic OneFile, Academic Search, Chimica, CSA/Proquest, Current Abstracts, Current Contents/Physical, Chemical and Earth Sciences, EI-Compendex, EMBASE, Food Science and Technology Abstracts, Google Scholar, IBIDS, INIS Atomindex, Inspec, OCLC, PubMed/Medline, Science Citation Index, Science Citation Index Expanded (SciSearch), SCOPUS, and Summon by Serial Solutions.*

Journal of the American Society for Mass Spectrometry (ISSN 1044-0305) is published monthly by Springer Science & Business Media, 233 Spring St, 6th Fl., New York, NY. Periodicals postage is pending at New York, NY and additional mailing offices. POSTMASTER: Send address changes to *Journal of The American Society for Mass Spectrometry*, Springer, 233 Spring Street, New York, NY 10013, USA.


1314 – 1321

Reducing Spatial Heterogeneity of MALDI Samples with Marangoni Flows During Sample Preparation
 Y.-H. Lai, Y.-H. Cai, H. Lee, Y.-M. Ou, C.-H. Hsiao, C.-W. Tsao, H.-T. Chang, and Y.-S. Wang




1322 – 1327

Relative Quantification of Sites of Peptide and Protein Modification Using Size Exclusion Chromatography Coupled with Electron Transfer Dissociation
 B. Xie and J.S. Sharp




1328 – 1343

SSPaQ: A Subtractive Segmentation Approach for the Exhaustive Parallel Quantification of the Extent of Protein Modification at Every Possible Site
 G. Gabant, A. Boyer, and M. Cadene




1344 – 1350

Characterization of the Cysteine Content in Proteins Utilizing Cysteine Selenylation with 266 nm Ultraviolet Photodissociation (UVPD)
 W.R. Parker and J.S. Brodbelt



1351 – 1356


Characteristics of Ion Activation and Collision Induced Dissociation Using Digital Ion Trap Technology
 F. Xu, Q. Dang, X. Dai, X. Fang, Y. Wang, L. Ding, and C.-F. Ding



1357 – 1365


Quantitative Comparison of Tandem Mass Spectra Obtained on Various Instruments

F.L. Bazsó, O. Ozohanics, G. Schlosser, K. Ludányi, K. Vékey, and L. Drahos

Collision Energy**Optimization****1366 – 1375**


Collision Cross Sections for 20 Protonated Amino Acids: Fourier Transform Ion Cyclotron Resonance and Ion Mobility Results

Anupriya, C.A. Jones, and D.V. Dearden

**1376 – 1382**


Cis→Trans Isomerization of Pro⁷ in Oxytocin Regulates Zn²⁺ Binding

D.R. Fuller, M.S. Glover, N.A. Pierson, D. Kim, D.H. Russell, D.E. Clemmer

**1383 – 1392**


Microhydration of Deprotonated Nucleobases

H. Wincel

**1393 – 1403**

Preliminary Figures of Merit for Isotope Ratio Measurements: The Liquid Sampling-Atmospheric Pressure Glow Discharge Microplasma Ionization Source Coupled to an Orbitrap Mass Analyzer


E.D. Hoegg, C.J. Barinaga, G.J. Hager, G.L. Hart, D.W. Koppenaal, and R.K. Marcus



1404 – 1410


Triple Quadrupole Versus High Resolution Quadrupole-Time-of-Flight Mass Spectrometry for Quantitative LC-MS/MS Analysis of 25-Hydroxyvitamin D in Human Serum

T. Geib, L. Sleno, R.A. Hall, C.S. Stokes, and D.A. Volmer

**1411 – 1418**


Systematic Temperature Effects in the Argon Cluster Ion Sputter Depth Profiling of Organic Materials Using Secondary Ion Mass Spectrometry

M.P. Seah, R. Havelund, and I.S. Gilmore

**1419 – 1428**

Probing the Relationship Between Detected Ion Intensity, Laser Fluence, and Beam Profile in Thin Film and Tissue in MALDI MSI

R.T. Steven, A.M. Race, and J. Bunch

**COMMENT AND REPLY****1429 – 1432**

Comment on: "Analysis of Silicones Released from Household Items and Baby Articles by Direct Analysis in Real Time-Mass Spectrometry" by Jürgen H. Gross. *J. Am. Soc. Mass Spectrom.* 26, 511–521 (2015)
K. Thomas

1433 – 1434

Reply to the Comment on: "Analysis of Silicones Released from Household Items and Baby Articles by Direct Analysis in Real Time-Mass Spectrometry" by Jürgen H. Gross. *J. Am. Soc. Mass Spectrom.* 26, 511–521 (2015)
J.H. Gross